

Pos. no.	Spare parts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
			Jøtul F 130 Serien		
			Jøtul F 134 BP (Sokkel / Base / WO side window, cat. no. 30049161		
			Jøtul F 135 BP (Sokkel / Base / W side window, cat. no. 30049128		
			Jøtul F 136 BP (Søyle / pedestal / WO side window, cat. no. 30049160		
			Jøtul F 137 BP (Søyle / pedestal / W side window, cat. no. 30049135		
			<i>BP= Sort lakk/Black Paint, UP= Ulakkert/Unpainted</i>		
			Felles deler		
			Common spare parts		
1			Bunnplate, Brennkammer BP	Bottom Plate Burn Chamber BP	Cast Iron min 4mm thickness
2			Fyrbunn	Inner Bottom	Cast Iron min 4mm thickness
3			Glassholder	Glass Holder	Cast Iron min 4mm thickness
4			Håndtak, dør BP	Handle Door BP	Cast Iron min 4mm thickness
5			Dør BP	Door BP	Cast Iron min 4mm thickness
6			Topplate BP	Top Plate BP	Cast Iron min 4mm thickness
7			Blendelukk, røykuttak BP	Cover Flue Outlet BP	Cast Iron min 4mm thickness
8			Bakplate, BP	Rear Plate BP	Cast Iron min 4mm thickness
30	10049679	88, 89, 90, 91, 92	Brennkammer, Komplet	Burn Chamber Complete	Steel
31		3,84	Glassholder med pakning	Glass Holder Incl. Gasket	Cast Iron min 4mm thickness
32	10049248		Låsemekanisme, dør komplett	Locking Mechanism Door Complete	Stainless Steel
33		5,80,81(2pcs),82,83(2pcs)	Dør med pakninger BP	Door Incl.Gaskets BP	Cast Iron min 4mm thickness
34		44,45,46,47,48,49	Vermikulitt, sett	Vermiculite set	Vermiculite 600Kg/m ³
40	10026076		Demper, dørhåndtak	Damper Door Handle	Silicone 1mm
41	10049211		Glass, dør	Glas Door	Ceramic glass 4mm thick
43	10025980		Hengsel, dør	Hinge Door	Steel
44	10049517		Vermikulitt, side bak	Vermiculite Side Back	Vermiculite 600Kg/m ³
45	10049479		Vermikulitt, brennplate, nedre	Vermiculite Burn Plate Lower	Vermiculite 600Kg/m ³
46	10049475		Vermikulitt, hvelv	Vermiculite Baffle	Vermiculite 600Kg/m ³
47	10049478		Vermikulitt, brennplate, øvre	Vermiculite Burn Plate Upper	Vermiculite 600Kg/m ³
50	10026400		Avstandshylse	Distance Sleeve	Steel
51	10024023		Distansehylse, Ø8x6 L=27,5	Distance Lock Ø8x6 L=27,5	Steel
52	10049384		Skjermplate, bak	Heat Deflector Rear	Aluzinc_DX51D_AZ
53	10023998		Hylse, Ø10xØ6,2x15	Sleeve Ø10xØ6,2x15	Steel
61	10023666		Mutter, sekskant med flens M6 DIN 6923	Nut Hexagon Cap Flange M6 DIN 6923	St8.8 / ANSI B18.2
62	10023547		Skruer, sekskant med flens M6x35 DIN 6921	Screw Hex Cap Flange M6x35 DIN 6921	St8.8 / ANSI B18.2
63	10023545		Skruer, sekskant med flens M6x12 DIN 6921	Screw Hex Cap Flange M6x12 DIN 6921	St8.8 / ANSI B18.2
64	10023586		Skruer, senkh innv6k DIN7991 M6x12-10.9	Flat Head Countersunk Socket DIN7991 M6x12-10.9	S110.9
65	10023541		Skruer, sekskant med flens M6x16 DIN 6921	Screw Hex Cap Flange M6x16 DIN 6921	St8.8 / ANSI B18.2
66	10023535		Skruer, Seksk M6x50 Helgj St8.8 EIZn	Screw Hex M6x50 St8.8 EIZn	St8.8 / ANSI B18.2
67	10023475		Mutter, sekskant M6 DIN 934	Nut Hexagon M6 DIN 934	St8.8 / ANSI B18.2
68	10023576		Skruer, sett M6X25 DIN916	Threadpin M6X25 DIN916	
69	10023712		Skruer, sett M8x30 DIN916	Threadpin M8x30 DIN916	Steel
80		50027205 (5m)	Pakning, 4 til dørglass	Gasket 4 For Door Glass	LD 250-2 graph Ø6,4xXXXmm
81		50027204 (5m)	Pakning, under glass	Gasket Under Glass	V-125x8 L=40mm graph W/A
82		50027203 (5m)	Dørpakning 2	Door Gasket 2	LD 375-2 Ø9,5xXXXmm
83		50027203 (5m)	Dørpakning 1	Door Gasket 1	LD 375-2 Ø9,5xXXXmm
84		50027203 (5m)	Dørpakning 3 for glassholder	Door Gasket 3 For Glass Holder	LD 375-2 Ø9,5xXXXmm
85			Pakning, Blindlokk	Gasket Blind Cover	V-125x8 L=20mm graph W/A
88	10049680		Brennkammer, enhet	Brennkammer unit	
89	10049681		Ventilkasse	Air box	
90	10049682		Askeskuff	Ash tray	
91	10049683		Røykstuss, dripless	Dripless Smoke Outlet	
92	10049684		Deksel, røykuttak	Smoke Outlet Cover	
103	10023650		Skruer, sett M6x50 DIN 916	Threadpin M6x50 DIN 916	
			Jøtul F 134, cat. no. 30049161 BP		
13			Side, høyre sokkel BP	Side, Right Base BP	Cast Iron min 4mm thickness
14			Sokkel, bunn BP	Base, Bottom BP	Cast Iron min 4mm thickness
15			Side, venstre sokkel BP	Side, Left Base BP	Cast Iron min 4mm thickness

		Jøtul F 130 Serien			
		Jøtul F 134 BP (Sokkel / Base / WO side window, cat. no. 30049161			
		Jøtul F 135 BP (Sokkel / Base / W side window, cat. no. 30049128			
		Jøtul F 136 BP (Søyle / pedestal / WO side window, cat. no. 30049160			
		Jøtul F 137 BP (Søyle / pedestal / W side window, cat. no. 30049135			
		<i>BP= Sort lakk/Black Paint, UP= Ulakkert/Unpainted</i>			
<i>Pos. no.</i>	<i>Spare parts</i>	<i>Consist of pos.no:</i>	<i>Benevnelse</i>	<i>Description</i>	<i>Dim./Spec.</i>
16			Uteluftsdeksel, BP	Cover Plate For Outside Air BP	Cast Iron min 4mm thickness
17			Sokkel, bak BP	Back Plate Base BP	Cast Iron min 4mm thickness
18			Venstre, sideplate uten glass, BP	Left Side Plate Without Glass BP	Cast Iron min 4mm thickness
19			Høyre, sideplate uten glass, BP	Right Side Plate Without Glass BP	Cast Iron min 4mm thickness
48			Vermikulitt side uten glass	Vermiculite Side Without Glass	Vermiculite 600Kg/m ³
55	10026268		Beskyttelsehette M8 6K sort	Protection Cap M8 Hex Black	Ceramic glass 4mm thick
60	10023780		Skive Ø6,4xØ18x1.6 Elzn DIN 9021	Washer Ø6.4xØ18x1.6 Elzn DIN 9021	
61	10023666		Mutter, sekskant med flens M6 DIN 6923	Nut Hexagon Cap Flange M6 DIN 6923	St8.8 / ANSI B18.2
62	10023547		Skruer, sekskant med flens M6x35 DIN 6921	Screw Hex Cap Flange M6x35 DIN 6921	St8.8 / ANSI B18.2
76	10038455		Skruer, senkh tre Ø5,0x50 TX	Screw Countersunk Wood Ø5,0x50 TX	
77	10023470		6kt skr, M8x25 DIN933 8.8 Elzn	Hex Cap Screw DIN933-M8x25-8.8 Zinc Plated	
78	10049669		Starlock sterk M8	Starlock strong M8	
86			Pakning, sideplate uten glass	Gasket Side Plate Without Glass	LD 250-2 graph Ø6,4xXXXXmm
		Jøtul F 135, cat. no. 30049128 BP			
13			Side høyre sokkel BP	Side Right Base BP	Cast Iron min 4mm thickness
14			Sokkel bunn BP	Base Bottom BP	Cast Iron min 4mm thickness
15			Side venstre sokkel BP	Side Left Base BP	Cast Iron min 4mm thickness
16			Uteluft deksel BP	Cover Plate For Outside Air BP	Cast Iron min 4mm thickness
17			Sokkel bak BP	Back Plate Base BP	Cast Iron min 4mm thickness
20			Venstre sidestykke BP	Left Side Plate BP	Cast Iron min 4mm thickness
21			Høyre sidestykke BP	Right Side Plate BP	Cast Iron min 4mm thickness
42	10049619		Glass sides	Side Glass	Ceramic glass 4mm thick
49			Vermikulitt side med glass	Vermiculite Side With Glass	Vermiculite 600Kg/m ³
54	12020930		Glassklips	Glass Clip	Stainless Steel
55	10026268		Beskyttelsehette M8 6K sort	Protection Cap M8 Hex Black	Ceramic glass 4mm thick
60	10023780		Skive Ø6,4xØ18x1.6 Elzn DIN 9021	Washer Ø6.4xØ18x1.6 Elzn DIN 9021	
61	10023666		Mutter, sekskant med flens M6 DIN 6923	Nut Hexagon Cap Flange M6 DIN 6923	St8.8 / ANSI B18.2
62	10023547		Skruer, sekskant med flens M6x35 DIN 6921	Screw Hex Cap Flange M6x35 DIN 6921	St8.8 / ANSI B18.2
70	10023561		Skruer, sylh innv6k DIN7984 M6x8-8.8	Hex Socket Head Cap Screw DIN7984 M6x8-8.8	St8.8 / ANSI B18.2
71	10023464		Skive, M6 Ø6,4xØ12,5x1.6 St8.8 Elzn DIN 125	Washer M6 Ø6.4xØ12.5x1.6 St8.8 Elzn. DIN 125	St8.8 / ANSI B18.2
76	10038455		Skruer, senkh tre Ø5,0x50 TX	Screw Countersunk Wood Ø5,0x50 TX	
77	10023470		6kt skr M8x25 DIN933 8.8 Elzn	Hex Cap Screw DIN933-M8x25-8.8 Zinc Plated	
78	10049669		Starlock, sterk M8	Starlock, strong M8	
87	10025215		Pakning, sideglass L= 800mm	Gasket, Side Glass L= 800mm	V-125x8 L=800mm graph W/A
		Jøtul F 136, cat. no. 30049160 BP			
9			Søyle side høyre BP	Pedestal Side Right BP	Cast Iron min 4mm thickness
10			Søyle bunn BP	Pedestal Bottom BP	Cast Iron min 4mm thickness
11			Søyle front BP	Pedestal Front BP	Cast Iron min 4mm thickness
12			Søyle side venstre BP	Pedestal Side Left BP	Cast Iron min 4mm thickness
18			Venstre sideplate uten glass BP	Left Side Plate Without Glass BP	Cast Iron min 4mm thickness
19			Høyre sideplate uten glass BP	Right Side Plate Without Glass BP	Cast Iron min 4mm thickness
48			Vermikulitt side uten glass	Vermiculite Side Without Glass	Vermiculite 600Kg/m ³
55	10026268		Beskyttelsehette M8 6K sort	Protection Cap M8 Hex Black	Ceramic glass 4mm thick
72	10023667		Mutter sekskant med flens M8 DIN 6923	Nut Hexagon Cap Flange M8 DIN 6923	St8.8 / ANSI B18.2
73	10023665		Skruer sekskant med flens M8x40 DIN 6921	Screw Hex Cap Flange M8x40 DIN 6921	St8.8 / ANSI B18.2
74	10023663		Skruer sekskant med flens M8x25 DIN 6921	Screw Hex Cap Flange M8x25 DIN 6921	St8.8 / ANSI B18.2
75	10023465		Skruer sekskanthode M8x16 DIN 933	Screw Hexagon Cap M8x16 DIN 933	St8.8 / ANSI B18.2
76	10038455		Skruer senkh tre Ø5x50 TX	Screw Countersunk Wood Ø5x50 TX	Steel
86			Pakning sideplate uten glass	Gasket Side Plate Without Glass	LD 250-2 graph Ø6,4xXXXXmm

Pos. no.	Spare parts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
Jøtul F 130 Serien					
Jøtul F 134 BP (Sokkel / Base / WO side window, cat. no. 30049161					
Jøtul F 135 BP (Sokkel / Base / W side window, cat. no. 30049128					
Jøtul F 136 BP (Søyle / pedestal / WO side window, cat. no. 30049160					
Jøtul F 137 BP (Søyle / pedestal / W side window, cat. no. 30049135					
<i>BP= Sort lakk/Black Paint, UP= Ulakkert/Unpainted</i>					
Jøtul F 137, cat. no. 30049135 BP					
9			Søyle side høyre BP	Pedestal Side Right BP	Cast Iron min 4mm thickness
10			Søyle bunn BP	Pedestal Bottom BP	Cast Iron min 4mm thickness
11			Søyle front BP	Pedestal Front BP	Cast Iron min 4mm thickness
12			Søyle side venstre BP	Pedestal Side Left BP	Cast Iron min 4mm thickness
20			Venstre sidestykke BP	Left Side Plate BP	Cast Iron min 4mm thickness
21			Høyre sidestykke BP	Right Side Plate BP	Cast Iron min 4mm thickness
42	10049619		Glass sides	Side Glass	Ceramic glass 4mm thick
49			Vermikulitt side med glass	Vermiculite Side With Glass	Vermiculite 600Kg/m ³
54	12020930		Glassklips	Glass Clip	Stainless Steel
55	10026268		Beskyttelsehette M8 6K sort	Protection Cap M8 Hex Black	Ceramic glass 4mm thick
70	10023561		Skrue sylh innv6k DIN7984 M6x8-8.8	Hex Socket Head Cap Screw DIN7984 M6x8-8.8	St8.8 / ANSI B18.2
71	10023464		Skive M6 Ø6,4xØ12,5x1.6 St8.8 ElZn DIN 125	Washer M6 Ø6.4xØ12.5x1.6 St8.8 Elzn. DIN 125	St8.8 / ANSI B18.2
72	10023667		Mutter sekskant med flens M8 DIN 6923	Nut Hexagon Cap Flange M8 DIN 6923	St8.8 / ANSI B18.2
73	10023665		Skrue sekskant med flens M8x40 DIN 6921	Screw Hex Cap Flange M8x40 DIN 6921	St8.8 / ANSI B18.2
74	10023663		Skrue sekskant med flens M8x25 DIN 6921	Screw Hex Cap Flange M8x25 DIN 6921	St8.8 / ANSI B18.2
75	10023465		Skrue sekskanthode M8x16 DIN 933	Screw Hexagon Cap M8x16 DIN 933	St8.8 / ANSI B18.2
76	10038455		Skrue senkh tre ø5x50 TX	Screw Countersunk Wood Ø5x50 TX	Steel
87	10025215		Pakning sideglass L= 800mm	Gasket Side Glass L= 800mm	V-125x8 L=800mm graph W/A
Floor Plate Glass (NO/SE/DK/FI), cat. no. 50049584					
93	50049584		Gulvplate, glass for NO/SE/DK/FI	Floor Plate Glass For NO/SE/DK/FI	WxDmm, 6mm thick, tempered
Floor Plate Glass (Germany), cat. no. 50049586					
94	50049586		Gulvplate, glass for Tyskland	Floor Plate Glass For Germany	
Floor Plate Steel (NO/SE/DK/FI), cat. no. 51049574					
95	51049574		Gulvplate, stål for NO/SE/DK/FI	Floor Plate Steel For NO/SE/DK/FI	WxDmm, 1,25mm thick, Black
Floor Plate Steel (Germany), cat. no. 51049582					
96	51049582		Gulvplate, stål for Tyskland BP	Floor Plate Steel For Germany BP	
Spring Self Closing Door, cat. no. 350998					
97	350998		Selvlukkende dørmekanisme	Bauart 1 Feder	
	10049685		Røykstuss, DE	Smoke Outlet DE	
	51049717	97, 10049685	DE kit	DE kit	

Draw. no. 900193-U00